	Application No.	Applicant(s)
	Application No.	, replication
Notice of Allowability	10/653,029	GARNETT ET AL.
Notice of Allowability	Examiner	Art Unit
	HUNG T. NGUYEN	2841
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>09/22/2006</u> .		
2. The allowed claim(s) is/are <u>1-11,13-19,21-31,41 and 42</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached,		
1)  hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
·		
	•	
•		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• • • • • • • • • • • • • • • • • • • •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary Paper No./Mail Da</li> </ol>	
3. X Information Disclosure Statements (PTO/SB/08),	7. Examiner's Amendr	ment/Comment
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statement	ent of Reasons for Allowance
of Biological Material	9.	•
•		

Application/Control Number: 10/653,029

Art Unit: 2841



41, 42.

## DISCUSSION OF THE PRIOR ART AND REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: in the examiner's opinion, the allowability of claims 1-11, 13-19, 21-31, 41, 42 resides in the combination of elements which has been recited in independent claims 1,

## Response to Arguments

Regarding claim 1-11, 13-19, 41, 42: Applicant's arguments filed 09/22/2006 with respect to claims 1-11, 13-19, 21-31, 41, 42 have been fully considered and are persuasive.

## **Reason for Allow**

With respect to claims 1-11, 13-19, 41, 42 the prior art alone or in combination does not teach the limitation of a first master switching module is connected to a first switching module of a first shelf and to a first switching module of a last shelf in each of the stacks, and wherein a second master switching module is connected to a second switching module of a last shelf in each of the stacks.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HUNG T. NGUYEN whose telephone number is 571-272-5983. The examiner can normally be reached on 8:00AM - 5:30PM.

Application/Control Number: 10/653,029

Art Unit: 2841

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, REICHARD DEAN can be reached on 571-272-1984. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

HN

**HUNG NGUYEN** 

11/29/2006

DEAN A. REICHARD
SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2800